

Resume

Name-Surname: Banu Açıkalın Öncel

Date of Birth : 04-08-1969

Academical Status :

Degree	Department/ Program	University	Year
Medical Degree	Tıp Fakültesi	Istanbul University Istanbul Medical School	1987- 1993
Phd	Ophthalmology	Istanbul Medical School	1993- 1997
Associate Profesor	Ophthalmology	Baskent University Istanbul Hospital	2012
Profesor	Ophthalmology	Health Sciences University Fatih Sultan Mehmet Training And Research Hospital	

Medical Thesis Title and Consultant:

Clinicopathology, Treatment Selection and Prognosis in Malignant Melanomas of the
Conjunctiva,

Consultant:Prof.Dr.Gönül Peksayar

Date of Associate Professorship Exam: 13 April 2012

Positions:

Position	Location	Year
Ophthalmologist	Ataköy Eye Center	1997-2000

Ophthalmologist	Bakırköy State Hospital	2000-2002
Ophthalmologist	Beyoğlu Eye Training and Research Hospital	2002-2004
Ophthalmologist	Dünya Eye Hospital Ataköy	2004-2005
Yard.Doç.Dr	Yeditepe University Ophthalmology	2006-2009
Yard.Doç.Dr.	Baskent University Istanbul Hospital	2009-2012
Associate Profesor	Baskent University Istanbul Hospital	2012-2015
Associate Profesor	Fatih Sultan Mehmet Training And Research Hospital	2015-2016
Eye Clinic Administrative Officer and Training Officer	Fatih Sultan Mehmet Training And Research Hospital	2015-2016
Eye Clinic Administrative and Education Officer	Fatih Sultan Mehmet Training And Research Hospital	2017-2018
Associate Profesor	Health Sciences University Fatih Sultan Mehmet Training And Research Hospital	2017-
Associate Profesor Head of Ophthalmology	Health Sciences University	2018

PhD Theses / Proficiency Studies in Art:

1.

Tasks in Projects:

1.

Editorship :

1.

Memberships in Scientific Organizations:

1. Turkish Medical Association
2. Turkish Society of Ophthalmology
3. American Academy of Ophthalmology (AAO)
4. The Association of Research in Vision and Ophthalmology (ARVO)

WORKS

A. Articles published in international refereed journals:

A1. V.Kaya, **B. Oncel**, H. Sivrikaya, Ö.F. Yılmaz. Prospective, paired comparison of LASIK and LASEK for myopia less than -6.00 diopters. Journal of Refractive Surgery 2004;20(3):223-8.

A2. R.B. Kucumen, N.M. Yenerel, E. Gorgun, D.N. Kulacoglu, **B. Oncel**, M.C. Kohen, L. Alimgil. Evaluation of corneal biomechanical properties and intraocular pressure changes after phacoemulsification and intraocular lens implantation. Journal of Cataract and Refractive Surgery 2008;34(12):2096-8.

A3. U.A. Dinc, **B. Oncel**, E. Gorgun, L. Alimgil. Quantitative assessment of anterior chamber volume using slit-lamp OCT and Pentacam. European Journal of Ophthalmology 2009;19(3):411-5.

A4. B. Oncel, U.A. Dinc, E. Gorgun, B.I. Yalvaç. Diurnal variation of corneal biomechanics and intraocular pressure in normal subjects. European Journal of Ophthalmology 2009;19(5):798-803.

A5. B. Oncel, U.A. Dinc, F. Orge, B.I. Yalvac. Comparison of IOP measurement by ocular response analyzer, dynamic contour, goldmann applanation and noncontact tonometry. European Journal of Ophthalmology 2009;19(6):936-41.

A6. U.A. Dinc, **B. Oncel**, E. Gorgun, M.N. Yenerel, L. Alimgil. Assessment and comparison of anterior chamber dimensions using various imaging techniques. *Ophthalmic Surgery Lasers & Imaging* 2010;41(1):115-22.

A7. U.A. Dinc, **B. Oncel**, E. Gorgun, I.S. Yalvac. Assessment of anterior chamber angle using Visante-OCT, slit-lamp OCT and Pentacam. *European Journal of Ophthalmology* 2010;20(3):531-7.

A8. U.A. Dinc, D.N. Kulacoglu, **B. Oncel**, I.S. Yalvac. Quantitative assessment of anterior chamber parameters in pigmentary glaucoma using slit-lamp optical coherence tomography. *European Journal of Ophthalmology* 2010;20(4):702-7.

A9. U.A. Dinc, E. Gorgun, **B. Oncel**, M.N. Yenerel, L. Alimgil. Assessment of anterior chamber depth using Visante optical coherence tomography, slitlamp optical coherence tomography, IOLMaster, Pentacam and Orbscan IIz. *Ophthalmologica* 2010;224(6):341-6.

A10. **Öncel BA**, Pınarcı E, Akova YA. Tear osmolarity in unilateral pseudoexfoliation syndrome. *Clinical and Experimental Optometry* 2012 95(5):506-9

A11. **Öncel BA**, Pınarcı E, Akova YA. Diurnal variation of the tear osmolarity in normal subjects measured by a new microchip system. *European Journal Ophthalmology* 2012;22 Suppl 7:S1-4

A12. Görgün E, Yenerel M, Dinç UA, **Öncel B**, Küçümen RB, Oral D, Çiftçi F. Comparison of noncontact methods for the measurement of central corneal thickness. *Ophthalmic Surg Imaging* 2011; 42(5):400-7

A13. Pınarcı EY, Karacal H, **Öncel B**, Bayar SA, Karakaya M. The inner diameter of the optic disc pit decreases with pars plana vitrectomy *Int Ophthalmol* 2013; 33(2):199-201

A14. Aksoy S, Akkaya S, Özkurt Y, Kurna S, **Açıkalin B**, Şengör T. Topography and Higher Order Corneal Aberrations of the Fellow Eye in Unilateral Keratoconus. *Turk J Ophthalmol* 2017;47:249-54

B. Papers Presented at International Scientific Meetings and Published in Proceedings:

B1. **B. Açıkalin**, M. Öncel, G.A. Peyman. Silicone oil for the treatment of full-thickness macular

holes. The Association of Research in Vision and Ophthalmology (ARVO) Annual Meeting, Investigative Ophthalmology & Visual Science 1997;38(4):749, Fort Lauderdale, Florida-A.B.D., 11-16 Mayıs 1997.

B2. M. Öncel, **B. Açıkalın**. Vitrectomy in uveitis and Behçet'disease. XIth Congress of the European Society of Ophthalmology, 314 pp., Budapeşte-Macaristan, 1-5 Haziran 1997.

B3. **B. Açıkalın**, G. Peksayar. The incidence of malignancy in benign pigmented lesions of the conjunctiva. XIth Congress of the European Society of Ophthalmology, 314 pp., Budapeşte-Macaristan, 1-5 Haziran 1997.

B4. **B. Açıkalın**, G. Peksayar, M. Öncel. The prognosis management and pathology of conjonctival melanoma. The Association of Research in Vision and Ophthalmology (ARVO) Annual Meeting, Investigative Ophthalmology & Visual Science 1999;40(4):650, Fort Lauderdale, Florida- A.B.D., 9-14 Mayıs 1997.

B5. **B. Açıkalın**, M. Öncel. Management of submacular hemorrhage with intravitreal gas injection. XIII. Congress of the European Society of Ophthalmology, 170 pp., İstanbul-Türkiye, 3-7 Haziran 2001.

B6. M. Öncel, **B. Açıkalın**. Photodynamic therapy in age related macular degeneration with vertoporfin. XIII. Congress of the European Society of Ophthalmology, 47 pp., İstanbul-Türkiye, 3-7 Haziran 2001.

B7. Y. Küçüksümer, **B. Öncel**, E.Y. Pınarcı. Evaluation of the results of flap diameter and thickness measurements in LASIK operations performed using Moria M2 microkeratome. XXI Congress of the ESCRS, 74 pp., Münih-Almanya, 6-10 Eylül 2003.

B8. S. Pınar, **B. Öncel**, M. Öncel, B. Hatip. Intraocular pressure changes during submaximal strenght training. The 10th ICHPER.SD Europe Congress and the TSSA 8th International Sports Science Congress, 54 pp., İstanbul-Türkiye, 17-20 Kasım 2004.

B9. M. Öncel, **B. Açıkalın**. Heavy silicone vs. standard silicone oil or the management of complicated retinal detachment: a prospective randomized study. American Academy of Ophthalmology (AAO) 2006 Joint Meeting, 301 pp., Las Vegas-A.B.D., 11-14 Kasım 2006.

- B10. B. Açıkalın**, C.A. Utine, M. Altunsoy, D. Oral, B. Küçümen, D. Başar, M. Öncel. Comparison of LASIK flap thickness created by IntraLase femtosecond laser and Zyoptix XP mechanical keratome. American Academy of Ophthalmology (AAO) Annual Meeting, 195 pp., New Orleans-A.B.D., 9-10 Kasım 2007.
- B11.** U.A. Dinc, E. Gorgun, N.M. Yenerel, **B. Oncel**, B. Küçümen, M. Oncel. Assessment of macular function using preferential hyperacuity perimeter and microperimetry in late presenting acute posterior multifocal placoid pigment epitheliopathy. 7th EURETINA Congress, 77 pp., Monte Carlo-Monako, 17-20 Mayıs 2007.
- B12.** U.A. Dinc, N.M. Yenerel, E. Gorgun, **B. Oncel**, M. Oncel. Intravitreal bevacizumab injection for treatment of Irvine-Gass syndrome. 7th EURETINA Congress, 77 pp., Monte Carlo-Monako, 17-20 Mayıs 2007.
- B13.** E. Gorgun, N.M. Yenerel, U.A. Dinc, **B. Oncel**, B. Kucumen, M. Oncel. Cystoid macular edema secondary to acute posterior multifocal placoid pigment epitheliopathy treated with intravitreal triamcinolone: case report. 7th EURETINA Congress, 80 pp., Monte Carlo-Monako, 17-20 Mayıs 2007.
- B14.** R.B. Kucumen, N.M. Yenerel, E. Gorgun, U.A. Dinc, **B. Oncel**, M. Oncel. The pictures of an artist as an ARMD patient. 7th EURETINA Congress, 85 pp., Monte Carlo-Monako, 17-20 Mayıs 2007.
- B15.** N.M. Yenerel, E. Gorgun, H. Yetik, U.A. Dinc, **B. Oncel**, M. Oncel. Intravitreal bevacizumab associated with regression of retinal angiomatous proliferation. 7th EURETINA Congress, 100 pp., Monte Carlo-Monako, 17-20 Mayıs 2007.
- B16.** N.M. Yenerel, E. Gorgun, U.A. Dinc, **B. Oncel**, C.A. Utine, M. Oncel. Microperimetry, autofluorescence and OCT findings in vitelliform macular dystrophy. 7th EURETINA Congress, 100 pp., Monte Carlo-Monako, 17-20 Mayıs 2007.
- B17.** U.A. Dinc, N.M. Yenerel, E. Görgün, D. Oral, **B. Öncel**, M. Öncel. A case with bilateral optic nerve atrophy associated with isotretinoin treatment for acne vulgaris. 8th European Neuro-Ophthalmology Society (EUNOS) Meeting, Neuro-Ophthalmology 2007;31(2):p49,

İstanbul-Türkiye, 26-29 Mayıs 2007.

- B18.** N.M. Yenerel, E. Gorgun, U.A. Dinc, **B. Oncel**, S. Yilmaz, M. Oncel. Comparison of normal macular thickness measurements in healthy eyes using Stratus OCT and OCT/SLO. Joint Congress of SOE/AAO 2007, 72 pp., Viyana-Avusturya, 9-12 Haziran 2007.
- B19.** N.M. Yenerel, E. Gorgun, U.A. Dinc, **B. Oncel**, R.B. Kucumen, M. Oncel. Normal macular thickness measurements in healthy eyes using Stratus OCT. Joint Congress of SOE/AAO 2007, 75 pp., Viyana-Avusturya, 9-12 Haziran 2007.
- B20.** U.A. Dinc, **B. Oncel**, E. Gorgun, N.M. Yenerel, C.A. Utine, M. Oncel. Comparison of anterior chamber depth, internal horizontal anterior chamber diameter and white-to-white distance measurements using two different optical coherence tomography devices and IOLMaster. Joint Congress of SOE/AAO 2007, 114 pp., Viyana-Avusturya, 9-12 Haziran 2007.
- B21.** **B. Oncel**, U.A. Dinc, E. Gorgun, N.M. Yenerel, D. Oral, F. Orge, M. Oncel. Diurnal variation of ocular hysteresis in normal subjects. Joint Congress of SOE/AAO 2007, 125 pp., Viyana-Avusturya, 9-12 Haziran 2007.
- B22.** E. Gorgun, N.M. Yenerel, U.A. Dinc, **B. Oncel**, R.B. Kucumen, D. Oral, M. Oncel. Comparison of central corneal thickness measurement with Galilei dual scheimpflug analyzer and standard ultrasonic pachymeter. Joint Congress of SOE/AAO 2007, 168-169 pp., Viyana-Avusturya, 9-12 Haziran 2007.
- B23.** E. Gorgun, N.M. Yenerel, **B. Oncel**, U.A. Dinc, M. Altunsoy, M. Oncel. Corneal thickness measurement: VisanteTM OCT versus ultrasonic pachymetry. Joint Congress of SOE/AAO 2007, 169 pp.. Viyana-Avusturya, 9-12 Haziran 2007.
- B24.** C.A. Utine, M. Altunsoy, **B. Öncel**, U.A. Dinc, E. Gorgun, N.M. Yenerel, I.B. Yalvac, D. Başar, M. Oncel. Effect of the menstrual cycle on corneal biomechanical properties. American Academy of Ophthalmology (AAO) Annual Meeting, 217 pp., New Orleans-A.B.D., 9-10 Kasım 2007.
- B25.** C.A. Utine, M. Altunsoy, D. Başar, D. Oral, B. Küçümen, **B. Öncel**, F.H. Orge, M. Oncel.

Visante anterior segment OCT in a case with gas bubbles in the anterior chamber after femtosecond laser corneal flap creation. American Academy of Ophthalmology (AAO) Annual Meeting, 254 pp. New Orleans-A.B.D. 9-10 Kasım 2007.

B26. M. Oncel, **B. Oncel**, M. Yenerel, E. Gorgun, U.A. Dinc. Panretinal photocoagulation combined with avastin in the treatment of proliferative diabetic retinopathy. 25th Annual Meeting of American Society of Retina Specialists (ASRS), 102 pp., Palm Springs-A.B.D., 1-5 Aralık 2007.

B27. M. Oncel M, **B. Oncel**, U.A. Dinc, M. Yenerel, E. Gorgun. Brilliant Blue G-assisted peeling of internal limiting membrane and epiretinal membrane. 25th Annual Meeting of American Society of Retina Specialists (ASRS), 223 pp., New Orleans-A.B.D., 10-13 Kasım 2007.

B28. **B. Oncel**, M. Altunsoy, C.A. Utine, B. Kucumen, D. Basar, M. Oncel. Assessment of the endothelial cell distribution in normal corneas by noncontact specular microscope. XXVth Congress of the ESCRS, 241 pp., 8-12 September 2007.

B29. C.A. Utine, **B. Oncel**, U.A. Dinc, V. Ozturk, M.L. Alimgil. Role of laser cell flaremeter in anterior uveitis secondary to Behcet's disease. The Second Meeting of the Society for Ophthalmo-Immunoinfectiology in Europe (SOIE), 49 pp., Kapadokya-Türkiye, 12-15 Haziran 2008.

B30. N.M. Yenerel, E. Gorgun, U.A. Dinc, R.B. Kucumen, **B. Oncel**, M. Oncel. Microperimetry, autofluorescence and OCT findings in vitelliform macular dystrophy. Mediterranean Retina Meeting III, 68 pp., İstanbul-Türkiye, 13-15 Haziran 2008.

B31. M. Oncel, **B. Oncel**, M. Yenerel, U.A. Dinc, E. Gorgun. Intravitreal bevacizumab in the prevention of early postoperative vitreous hemorrhage in diabetic vitrectomy. American Society of Retina Specialists (ASRS) 26th Annual Meeting, 121 pp., Maui-Havai, 11-15 Kasım 2008.

B32. R.B. Kucumen, N.M. Yenerel, E. Gorgun, C.A. Utine, **B. Oncel**, L.M. Alimgil. Changes of corneal biomechanics after implantation of intracorneal ring segments (Keraring) by the ocular response analyzer. XXVI Congress of the ESCRS, 262 pp, Berlin-Almanya, 13-17 Eylül

2008.

- B33.** I. Yalvac, U. Ekşiođlu, B. Őatana, **B. Öncel**, S. Duman. Ex-Press glaucoma implant placement under the conjunctiva or scleral flap versus trabeculectomy. 8th European Glaucoma Society (EGS) Congress, 99 pp., Berlin-Almanya, 1-6 Haziran 2008.
- B34.** D.N. Kulacoglu, **B. Oncel**, E.Y. Pınarcı, Y. Akova. Topical cyclosporine A in the management of dry eye disease. The 17th Congress of the European Society of Ophthalmology, 68 pp., Amsterdam-Hollanda, 13-16 Haziran 2009.
- B35.** M. Oncel, **B. Oncel**. Simultaneous bilateral vitreoretinal surgery for diabetic retinopathy. American Society of Retina Specialists (ASRS) 28th Annual Meeting, 162 pp., Vancouver, BC-Kanada, 28 Ağustos-1 Eylül 2010.
- B36.** M. Oncel, **B. Oncel**. A novel technique for the management of macular detachment associated with optic disc pit: Temporal inverted internal limiting membrane flap technique and a new heavy silicone oil (Densiron Xtra) American Society of Retina Specialists (ASRS) 33rd Annual Meeting Boston, ABD.11-15 AGUSTOS
- B37.** M. Oncel, B. Oncel. A novel drug delivery route for treatment of diabetic macular edema: Suprachoroidal triamcinolone acetonide administration. American Society of Retina Specialists (ASRS) 33rd Annual Meeting Boston, ABD.

C. International books or book chapters:

D. Articles published in national refereed journals:

- D1.** M. Altuđ M, B. **Açıkalin B**, N. Gözüm. Retinal detachment in pseudophakia. Türk Oftalmoloji Derneđi XXVIII. Ulusal Kongresi Bülteni 1994;Cilt 1:216-221.
- D2.** **B. Açıkalin**, N. Gözüm, A. Gücükođlu. Importance of hydrodissection in cataract surgery. Türk Oftalmoloji Derneđi XXVIII. Ulusal Kongresi Bülteni 1994; Cilt 3:977-978.
- D3.** E. Yüzbaşıođlu, Ö. Artunay, **B. Öncel**, R. Raiser, E.A. Őengül, H. Bahçeciođlu. Corneal hysteresis and intraocular pressure relationship in primary open angle glaucoma. MN Oftalmoloji 2008;15(2):85-89.

D4. C.A. Utine, M. Altunsoy, **B. Öncel**, E. Görgün, M. Yenerel, U.A. Dinç, L.M. Alimgil. The effect of mentoring cycle on corneal biomechanical properties. MN Oftalmoloji 2008;15(4):219-224

D5. U.A. Dinç, **B. Öncel**, E. Görgün, M. Yenerel, D. Başar. Bilateral optic nerve atrophy in a patient receiving isotretinoin for the treatment of acne vulgaris. Türk Oftalmoloji Gazetesi 2009;39(1):60-63.

D6. E.Görgün, N.M. Yenerel, R.B. Küçümen, **B. Öncel**, D. Başar. In vivo confocal microscopy findings of Schnyder's crystalline corneal dystrophy. Türk Oftalmoloji Gazetesi 2009;39:48-51.

D7. **B. Öncel**, Y.A. Akova. Innovations in phacoemulsification surgery. Türkiye Klinikleri Oftalmoloji Özel Dergisi 2010;3(3):8-13

D8. **Öncel B**, Pınarcı E, Akova Y. Tear osmolarity changes after cataract surgery Türk Oftalmoloji Gazetesinde 2012;42(1):35-37.

D9 **Öncel B**, Pınarcı E, Akova Y. Tear functions in non-insulin dependent diabetic patients. MN Oftalmoloji 2011;18(4):242-245

D10 **Öncel B**, Pınacı E, Akova Y. Angle-closure glaucoma in a patient with pseudoexfoliation MN - Oftalmoloji 2012;19(1):55-8

D11. Utine CA, **Öncel B**, Altunsoy M, Oral D, Küçümen B, Çiftçi F. Comparison of LASIK Flap thicknesses generated by Intralase Femtosecond Laser and Zyoptix XP Mechanical Keratoma. MN - Oftalmoloji 2011;18(4):215-220

D12. **Öncel B**, Akova Y. Intravitreal bevacizumab treatment in acute central serous chorioretinopathy. Retina -Vitreus 2011;19(4):24-26

D13 **Öncel B**, Pınarcı E, Akova Y. Advances in femtosecond laser use.(Derleme) Glokom-Katarakt 2011;6(4):203-6

D14 **Öncel B**, Pınarcı E, Akova Y. A new approach in the treatment of glaucoma (Gene Therapy). (Review) Glokom -Katarakt 2012;7(1):1-6

D15 **Öncel B**, Pınacı E. Toxic anterior segment syndrome.(Review) Türkiye Klinikleri 2011;20(4):226-233

D16. **Öncel B**, Pınarcı E, Akova Y. Pseudoexfoliation syndrome (Review)Türkiye Klinikleri 2011;20(2):99-107

D17.Öncel B, Pınarcı E, Akova Y. Recurrent corneal erosion syndrome (Review)Türkiye Klinikleri 2012;21(1):41-52.

D18. Pınarcı E, **Öncel B**, Demirel B, Akkoyun İ, Akova Y. Aspiration of subfoveal and extrafoveal perfluorocarbon fluid from a single retinotomy Retina-Vitreus 2011;19(4):41-43

D19. Pınarcı E, **Öncel B**, Akkoyun İ, Akova Y. The benefit of hyperbaric oxygen therapy after silyoretinal artery occlusion in a patient with familial dysplasminoemia. Retina Vitreus- 2011;19(4):13-15

D20 Öncel B, Kılıç İ, Akova Y. Anterior segment surgeries and dry eye: diagnosis and treatment approach. (Review)Türk oftalmoloji gazetesini 2012;42(3):227-232.

D21 Öncel B, Pınarcı E, Akova Y. Tear and ocular surface changes in diabetes. (Review)Türkiye Klinikleri 2012;21(2):96-102.

D22 Öncel B, Akova Y. Intraocular lenses that filter blue light (Review)Glokom katarakt 2012;7(2):132-136

D23 Akova Y, **Öncel B**. Anterior segment surgeries and dry eye. (Review) Türkiye Klinikleri 2013;6(3):20-9

D24 Akova Y, **Açıkalin B**. Dry eye in women (Review) MN Oftalmoloji 2016;kuru göz özel sayısı:60-64

D25 Akkaya S, Açıkalin B, Özkurt Y. Femtosecond laser assisted cataract surgery (Review)Türkiye klinikleri J Ophthalmol doi10.5336/ophtalmol 2016-50941

D26. Akkaya S, Özkurt Y, **Açıkalin B**. Micropulse diode laser and its use in retinal diseases in the clinic (Review)2015/102 RVD 3355

D27. Kaplan FB, **Açıkalin B**, Akı S, Doğan YE. Anterior ischemic optic neuropathy after uncomplicated phacoemulsification surgery. Retina Vitreus (Kabul edildi).

D28. Kaplan FB, **Açıkalin B**, Akkaya S, Altun A, Asilyazıcı E. Early diagnosis and treatment of traumatic macular hole.MN Oftalmoloji (Kabul edildi).

D29. Kaplan FB, **Açıkalin B**, Garlı M, Doğan YE, Yılmaz A. Vital importance of differential diagnosis of intraocular hemorrhage. Retina Vitreus (kabul edildi).

D30. Akkaya S, Atakan T, **Açıkalin B**, Aksoy S, Özkurt Y. The effect of long-term computer use on dry eye. Kuzey Klinikler dergisi (Kabul edildi).

D31. **Açıkalin B**, Akkaya S, Asilyazıcı E, Alış A, Yılmaz A. Recent developments in accommodative intraocular lenses. Glokom katarakt dergisi (Kabul edildi).

D32. Kaplan FB, **Açıkalin B**, Akkaya S, Asilyazıcı E. Multiple retinal embolism after diagnostic coronary angiography. Retina Vitreus Dergisi (Kabul edildi).

D33. Akkaya S, **Açıklalın B**, Kocapınar Y, Kaplan FB. Transient corneal edema limited to LASIK flap after uncomplicated phacoemulsification surgery. Glokom Katarakt dergisi (Kabul edildi).

D34 Akkaya S, **Açıklalın B**, Asilyazıcı E, Yılmaz A, Yamiç M, Kocapınar Y. Diagnosis and treatment of diabetic retinopathy. Retina Vitreus Dergisi (Kabul edildi)

E. Papers Presented in National Scientific Meetings and Published in Proceedings:

E1. B. Açıklalın B, L.K. Bilgin. Vision rehabilitation in congenital cataract.TOD 29. Ulusal Kongresi, 7 pp., Antalya-Türkiye, 17-21 Ekim 1995.

E2. A. Gücükoğlu, N. Gözüm, **B. Açıklalın**. Sutureless cataract surgery. TOD 29. Ulusal Kongresi, 25 pp., Antalya-Türkiye, 17-21 Ekim 1995.

E3. B. Öncel, G. Peksayar. Malignant melanomas of the conjunctiva. TOD 33.Ulusal Kongresi, 51 pp., İzmir-Türkiye, 2-6 Ekim 1999.

E4. B. Ö. Açıklalın, H. Eren, V. Kaya. Effect of different types on phacoemulsification time.TOD 36.

Ulusal Kongresi, 57 pp., Ankara-Türkiye, 5-9 Ekim 2002.

E5. Z. Kayaarası, **B. Öncel**, Ş. Bayraktar. Uveitic glaucoma cases. TOD 37. Ulusal Kongresi, 100 pp., İstanbul-Türkiye, 4-8 Ekim 2003.

E6. B. Ö. Açıklalın, Y. Küçüksümer, Ö.F. Yılmaz. Our LASEK results. TOD 37. Ulusal Kongresi, 134 pp., İstanbul-Türkiye, 4-8 Ekim 2003 .

E7. H. Eren, **B. Öncel**, Ş. Bayraktar. Learning effect on frequency – doubling technology perimeter. TOD 37. Ulusal Kongresi, 221 pp., İstanbul-Türkiye, 4-8 Ekim 2003.

E8. B. Öncel, M. Öncel. Heavy silicone oil for the treatment of complicated retinal detachment. TOD 38. Ulusal Kongresi, 116 pp., Antalya-Türkiye, 9-13 Ekim 2004.

E9. B. Açıklalın, M. Öncel. The effect of preoperative ocular massage before intravitreal triamcinolone acetone injection. TOD 39. Ulusal Kongresi, 347-348, Antalya-Türkiye, 17-21 Eylül 2005.

E10. D. Oral, F. Öрге, B. Küçümen, **B. Öncel**, C.A. Utine, M. Altunsoy. Comparison of corneal hysteresis values of eyes with suspected keratoconus and keratoconus with normal eyes. TOD 41. Ulusal Kongresi, 88-89 pp., Antalya-Türkiye, 30 Ekim-2 Kasım 2007.

E11. M. Altunsoy, C.A. Utine, **B. Öncel**, D. Oral, R.B. Küçümen, F. Öрге. Comparison of automated endothelial analysis with specular microscope and scanning confocal microscope. TOD 41.

Ulusal Kongresi, 93 pp., Antalya-Türkiye, 30 Ekim-2 Kasım 2007.

E12. E. Yüzbaşıoğlu, Ö. Artunay, **B. Öncel**, R. Rasier, E.A. Şengül, H. Bahçecioğlu. Corneal hysteresis and glaucoma relationship. TOD 41. Ulusal Kongresi, 155 pp., Antalya-Türkiye, 30 Ekim-2 Kasım 2007.

E13. M. Öncel, **B. Öncel**, U.A. Dinç, E. Görgün, M. Yenerel. A new dye in internal limiting membrane and epiretinal membrane surgery: Brilliant Blue-G. TOD 41. Ulusal Oftalmoloji Kongresi, 195 pp., Antalya-Türkiye, 30 Ekim-2 Kasım 2007.

E14. C.A. Utine, M. Altunsoy, **B. Öncel**, E. Görgün, M. Yenerel, U.A. Dinç. The effect of menstrual cycle on biomechanical properties of cornea and intraocular pressure measurements. TOD 41. Ulusal Oftalmoloji Kongresi, 215 pp., Antalya-Türkiye, 30 Ekim-2 Kasım 2007.

E15. M. Öncel, U.A. Dinç, E. Görgün, M. Yenerel, İ. Perente, **B. Öncel**. Optical coherence tomography and microperimetry findings in the presence of occult choroidal neovascularization and pigment epithelial detachment. TOD 41. Ulusal Oftalmoloji Kongresi, 245-246 pp., Antalya-Türkiye, 30 Ekim-2 Kasım 2007.

E16. C.A. Utine, M. Altunsoy, **B. Öncel**, D. Oral, R.B. Küçümen. Comparison of flap thicknesses obtained with femtosecond keratoma and mechanical keratoma. TOD 41. Ulusal Kongresi, 307 pp., Antalya-Türkiye, 30 Ekim-2 Kasım 2007.

E17. N.M. Yenerel, E. Görgün, U.A. Dinç, R.B. Küçümen, D. Oral, **B. Öncel**, M.L. Alimgil. Evaluation of corneal biomechanics with ocular response analyzer (ORA) in pseudoexfoliation syndrome. TOD 42. Ulusal Oftalmoloji Kongresi, 85 pp., Antalya-Türkiye, 19-23 Kasım 2008.

E18. R.B. Küçümen, E. Görgün, D.N. Kulaçoğlu, **B. Öncel**, L. Alimgil. ORA changes after cataract surgery. TOD 42. Ulusal Oftalmoloji Kongresi, 86 pp., Antalya-Türkiye, 19-23 Kasım 2008.

E19. **B. Öncel**, U.A. Dinç, E. Görgün, M. Yenerel, L. Alimgil. Evaluation of anterior chamber depth with Visante OCT, SL-OCT, IOLMaster, Pentacam and Orbscan IIz. TOD 42. Ulusal Oftalmoloji Kongresi, 198 pp., Antalya-Türkiye, 19-23 Kasım 2008.

E20. D.N. Kulaçođlu, U.A. Dinç, **B. Öncel**, R.B. Küçümen, F. Çiftçi, I. Yalvaç. Topical cyclosporine A for dry eye treatment. TOD 42. Ulusal Oftalmoloji Kongresi, 401 pp., Antalya-Türkiye, 19-23 Kasım 2008.

E21. E. Görgün, N.M. Yenerel, U.A. Dinç, S. Tatlıpınar, R.B. Küçümen, **B. Öncel**. Evaluation of fixation properties with advanced MP-1 microperimeter in advanced age-related macular degeneration. TOD 42. Ulusal Oftalmoloji Kongresi, 468 pp., Antalya-Türkiye, 19-23 Kasım 2008.

E22. M. Öncel, **B. Öncel**, H. Bahçeciođlu. A new silicone oil for the treatment of complicated retinal detachment: Siluron 2000 TOD 43. Ulusal Kongresi, 201 pp., Antalya-Türkiye, 11-15 Kasım 2009.

E23. **B. Öncel**, U.A. Dinç, B.I. Yalvaç, E. Görgün, L. Alimgil. Evaluation of anterior chamber angle. TOD 43. Ulusal Oftalmoloji Kongresi, 253-254 pp., Antalya-Türkiye, 11-15 Kasım 2009.

E24. **B. Öncel**, D.N. Kulaçođlu, Y. Akova. Intravitreal bevacizumab injection in a case of central serous chorioretinopathy. TOD 44. Ulusal Kongresi, 303 pp., Antalya-Türkiye, 29 Eylül-3 Ekim 2010.

E25. D.N. Kulaçođlu, **B. Öncel**, Y. Akova. The effect of ND: YAG capsulotomy on macular optical coherence tomography signal strength. TOD 44. Ulusal Kongresi, 329-330 pp., Antalya-Türkiye, 29 Eylül-3 Ekim 2010.

E26. D. Oral, E. Gorgun, N.M. Yenerel, U.A. Dinç, **B. Öncel**, R.B. Küçümen, F. Çiftçi. Comparison of non-contact corneal thickness measurement methods. TOD 44. Ulusal Kongresi, 424 pp., Antalya-Türkiye, 29 Eylül-3 Ekim 2010.

E27. **Öncel B**, Pınarcı E, Akova Y. Tear osmolarity in patients with unilateral pseudoexfoliation syndrome. TOD 45. Ulusal kongresi 355-356 pp Girne-Kıbrıs. 5-9 Ekim 2011

E28. **Öncel B**, Pınarcı E, Akova Y. Tear osmolarity changes after cataract surgery. TOD 45. Ulusal Kongresi 140 pp Girne-Kıbrıs 5-9 Ekim 2011

E29 Pınarcı E, **Öncel BA**, Carey JW, Ercal N, Akova Y. In vivo inhibition of L-Buthionine-Sulfoxime-induced cataract formation with N-acetyl cysteine amide, a new antioxidant. TOD 45. Ulusal Kongresi 106 pp Girne-Kıbrıs. 5-9 Ekim 2011

E30. Pınarcı EY, **Öncel BA**, Yılmaz G, Akova Y. Optic disc coloboma associated with Von-Hippel Lindau syndrome. TOD 45. Ulusal Kongresi 585 pp Girne Kıbrıs. . 5-9 Ekim 2011

E31. Aksoy S, Akkaya S, Yamiç M, Özkurt Y, **Açıkalin B**. Effect of topical afliberceptin in the treatment of corneal neovascularization. TOD 50. Ulusal Kongresi PS-0370. Antalya, Türkiye 3-6 Kasım 2016

E32. Yılmaz A, Dođan YE, Özkurt Y, **Açıkalin B**, Yamiç M. Treatment and follow-up of age-related age-type macular degeneration with intravitreal aflibercept. TOD 50.Ulusal Kongresi PS-0746. Antalya, Türkiye 3-6 Kasım 2016

E33. Şahan B, Çiftçi F, Öztürk V, **Açıkalin B**. Silicon intubation with lacrimal trepan in patients with canalicular obstruction after conjunctivitis. TOD 50.Ulusal Kongresi SS-OPC-27. Antalya, Türkiye 3-6 Kasım 2016

E34. Akkaya S, Özkurt Y, Aksoy S, Dođan YE, **Açıkalin B**. Central macular thickness change in diabetic and non-diabetic patients after uncomplicated phaco surgery. TOD 50.Ulusal Kongresi SS-TR-23 Antalya, Türkiye 3-6 Kasım 2016

E35. Kanar HS, Arsan AK, Özkurt Y, Sönmez A, Yılmaz A, **Açıkalin B**. Efficacy of yellow diode micropulse laser treatment in chronic central serous chorioretinopathy. TOD 50.Ulusal Kongresi SS-TR-39 Antalya, Türkiye 3-6 Kasım 2016

E36. Öncel M, **Açıkalin B**, Oruçođlu F. New technique for the treatment of macular detachment with optic disc pit: Temporal Inverted Internal Limiting Membrane Flap Technique and New Heavy Silicone Oil (Densiron Xtra) TOD 50.Ulusal Kongresi SS-VRC-10 Antalya, Türkiye 3-6 Kasım 2016

E37. Aksoy S, Kaplan F, Akkaya S, Özkurt YB, **Açıkalin B**. Evaluation of Nerve Fiber, Macular Ganglion Cell Complex, Choroidal Thickness and Vascular and Stromal Areas of Choroid in Unilateral Pseudoexfoliation. TOD 51. Ulusal kongresi PS-0128 Antalya, Türkiye 24-29 Ekim 2017

E38. Kaplan F, Dođan YE, Akı S, **Açıkalin B**. Anterior Ischemic Optic Neuropathy Following Uncomplicated Cataract Surgery. TOD 51. Ulusal Kongresi PS-0418 Antalya,Türkiye 24-29 Ekim 2017

E39. Alış MG, **Açıkalin B**. Retinal artery occlusion after rhinoplasty. TOD 51. Ulusal Kongresi PS-0684 Antalya, Türkiye 24-29 Ekim 2017

E40. Kaplan F, Dođan YE, **Açıkalin B**. A case with multiple retinal arterial embolism after diagnostic coronary angiography. TOD 51. Ulusal Kongresi PS-0686 Antalya, Türkiye 24-29 Ekim 2017

E41. Akkaya S, Kaplan F, Aksoy S, Özkurt Y, **Açıkalin B**. Worsening Effect of Hyperbaric Oxygen Therapy on Diabetic Retinopathy and Macular Edema. TOD 51. Ulusal Kongresi PS-0795 Antalya, Türkiye 24-29 Ekim 2017

-

E42. Altinel MG, **Açıklalın B.** Coexistence of Congenital Retinal Macrovascular and Prepapillary Vascular Ring Detected in the Same Eye. TOD 51. Ulusal Kongresi PS-0805 Antalya, Türkiye 24-29 Ekim 2017

E43. Yılmaz A, Asilyazıcı E, **Açıklalın B,** Y Özkurt, Yamiç M, Kaplan FB. Efficacy of Diode Micropulse Laser in the Treatment of Central Serous Chorioretinopathy TOD 51. Ulusal Kongresi PS-0947 Antalya, Türkiye 24-29 Ekim 2017

E44. Altun A, Akı S, **Açıklalın B,** Yılmaz A, Atmaca F. Safety and Efficacy of Intravitreal Dexamethasone Implant During Vitreoretinal Surgery. TOD 51. Ulusal Kongresi PS-1068 Antalya, Türkiye 24-29 Ekim 2017

E45. Altun A, Akı S, **Açıklalın B,** Kurna SA, Asilyazıcı E, Kaplan F. Vitreoretinal Surgery in a Patient with Hemorrhagic Retinal Detachment TOD 51. Ulusal Kongresi PS-1070 Antalya, Türkiye 24-29 Ekim 2017

E46. Öncel M, **Açıklalın BÖ.** Vitreoretinal surgery with head-mounted 3D monitor glasses; A new dye for epiretinal and internal limiting membrane peeling: trypan blue + blulife. TOD 51. Ulusal Kongresi SS-VRC-05 Antalya, Türkiye 24-29 Ekim 2017

E47. Kurna SA, Sönmez A, Altun A, Yamiç M, Karatay A, **Öncel B.** Efficacy of 577 nm Micropulse Laser Trabeculoplasty in Primary Open Angle Glaucoma. TOD 51. Ulusal Kongresi PS-0111 Antalya, Türkiye 24-29 Ekim 2017

F. Other publications:

F1. Technical basics of fluorescence angiography. Translation: **Banu Öncel,** Oftalmolojide Floresans Anjiografi. Editör: Steffan Dithmar, Frank G. Holz. Çeviri Editörü: Murat Öncel, 5-15, Avrupa Tıp Kitapçılık, 2009, İstanbul.

F2. Normal fluorescence angiography and general pathological fluorescence cases.
Translation: **Banu Öncel**, Oftalmolojide Floresans Anjiografi. Editör: Steffan Dithmar, Frank G. Holz. Çeviri Editörü: Murat Öncel, 16-30, Avrupa Tıp Kitapçılık, 2009, İstanbul.

F3. Utine CA, Pınarcı EY, **Oncel B**, Perente İ, Küçüksümer Y, Yılmaz ÖF. Evaluation of the flap thickness and diameter using Moria M2 microkeratome in LASIK. Ophthalmologia 2006; 18(3):227-233

F4 . Glokom.Çeviri **Banu Öncel**, Oftalmoloji Sınavlara Hazırlık Kaynağı Editör:Richard R Tamesis. Çeviri Editörleri: Yonca A. Akova, Sirel Gür Güngör, 79-109 Güneş Tıp Kitabevleri 2011

F5. Lens. Çeviri Banu Öncel, Klinik Oftalmoloji sistematik yaklaşım Editör Ken Nischal, Andrew Pearson. Çeviri Editörü Yonca A.Akova. 269-310 Güneş tıp kıtapevleri 2012

G-Citations

G1.

de Benito-Llopis L, Teus MA, Gil-Cazorla R, et al. Comparison between femtosecond laser-assisted sub-bowman keratomileusis vs laser subepithelial keratectomy to correct myopia. American Journal of Ophthalmology 2009;148(6):830-836.

and

Tietjen A, Muller C, Sekundo W. A prospective intradividual comparison between laser in situ keratomileusis and laser subepithelial keratectomy for myopia. 1- year follow-up results. Ophthalmologie 2008;105(10):921-926.

and

Teus MA, de Benito-Llopis L, Garcia-Gonzalez M. Comparison of visual results between laser-assisted subepithelial keratectomy and epipolis laser in situ keratomileusis to correct myopia and myopic astigmatism. *American Journal of Ophthalmology* 2008;146(3):357-362.

and

de Benito-Llopis L, Teus MA, Sanchez-Pina JM, et al. Influence of keratometry on refractive results after laser-assisted subepithelial keratectomy to correct myopia. *Journal of Cataract and Refractive Surgery* 2008;24(5):516-523.

and

de Benito-Llopis L, Teus MA, Sanchez-Pina JM. Comparison between LASEK and mitomycin C and LASIK for the correction of myopia -7.00 to -13.75 D. *Journal of Refractive Surgery* 2008;24(5):516-523.

and

Ghadfan F, Al-Rajhi A, Wagoner MD. Laser in situ keratomileusis versus surface ablation: Visual outcomes and complications. *Journal of Cataract and Refractive Surgery* 2007;33(12):2041-2048

and

Ghirlando A, Gambato C, Midenas E. LASEK and photorefractive keratectomy for myopia: Clinical and confocal microscopy comparison. *Journal of Refractive Surgery* 2007;23(7):694-702.

and

Teus MA, de Benito-Llopis L, Sanchez-Pina JM. LASEK versus LASIK for the correction of moderate myopia. *Optometry and Vision Science* 2007;84(7):605-610.

and

Randleman JB, Loft ES, Banning CS, et al. Outcomes of wavefront-optimized surface ablation. *Ophthalmology* 2007;114(5):983-988.

and

O'Brart DPS, Mellington F, Jones S, et al. Laser subepithelial keratomileusis for the correction of hyperopia using a 7.00-mm optical zone with the Schwind ESIRIS laser. *Journal of Refractive Surgery* 2007;23(4):343-354.

and

Kim TW, Wee WR, Lee JH, et al. Contrast sensitivity after LASIK, LASEK, and wavefront-guided LASEK with the VISX S4 laser. *Journal of Refractive Surgery* 2007;23(4):355-361

and

de Benito-Llopis L, Teus MA, Sanchez-Pina JM. Comparison between LASEK and LASIK for the correction of low myopia. *Journal of Refractive Surgery* 2007;23(2):139-145.

and

Tobaigy FM, Ghanem RC, Sayegh RR, et al. A control-matched comparison of laser epithelial keratomileusis and laser in situ epithelial keratomileusis for low to moderate myopia. *American Journal of Ophthalmology* 2006;142(6):901-908.

and

Chung SH, Lee IS, Lee YG, et al. Comparison of higher-order aberrations after wavefront-guided laser in situ keratomileusis and laser-assisted subepithelial keratectomy. *Journal of Cataract and Refractive Surgery* 2006;32(5):779-784.

and

Sakimoto T, Rosenblatt MI, Azar DT. Laser eye surgery for refractive errors. *Lancet* 2006;367:1432-1447.

and

O'Brart DPS, Al-Attar M, Hussein B, et al. Laser subepithelial keratomileusis for the correction of high myopia with Schwind ESIRIS scanning spot laser. *Journal of Refractive Surgery* 2006;22(3):253-262.

and

Townley D, Kirwan C, O Kefe M. One year follow-up contrast sensitivity following conventional laser in situ keratomileusis and laser epithelial keratomileusis. *Acta Ophthalmologica* 2012; 90(1):81-85

and

Arbelaez MC, Vidal C, Arba-Mosquera S. Comparison of LASEK and LASIK with thin and ultra thin flaps after Eximer laser ablation with the Schwind aspheric ablation profile. *Journal of refractive surgery* 2011;27(1):38-48

and

Teus MA, de Benito L, Garcia –Gonzales M. Comparison of visual results between laser assisted subepithelial keratectomy and epipolis laser in situ keratomileusis to correct myopia and myopic astigmatism. *American Journal of Ophthalmology* 2008;146(3):357-362

and

Alarfaj K, Hantera MM. Comparison of LASEK mechanical microkeratome LASIK and Femtosecond LASIK in low and moderate myopia. *Saudi J Ophthalmol* 2014 Jul;28(3):214-9

and

Zhao LQ, Zhu H, Li LM. Laser-assisted subepithelial keratectomy versus Laser in situ keratomileusis in myopia: A Systematic review and meta-analysis. *ISRN Ophthalmol* 2014 Jun 12:2014:67214

Cited work:

V.Kaya, B. Oncel, H. Sivrikaya, Ö.F. Yılmaz. Prospective, paired comparison of LASIK and LASEK for myopia less than -6.00 diopters. Journal of Refractive Surgery 2004;20(3):223-8.

G2.

Alio JL, Agdeppa MCC, Rodriguez-Prtas JL, et al. Factors influencing corneal biomechanical changes after microincision cataract surgery and standard coaxial phacoemulsification. Journal of Cataract and Refractive Surgery 2010;36(6):890-897.

and

Fontes BM, Ambrosio R, Jardim D, et al. Corneal biomechanical metrics and anterior segment parameters in mild keratoconus. Ophthalmology 2010;117(4):672-679.

and

Valbon BD, Guerra F, da Silva RS, et al. Ocular hypertension confounded by corneal edema after cataract surgery. Revista Brasileira de Oftalmologia 2009;68(6):348-354.

and

Sergienko N, Shargorodska I. Determining corneal hysteresis and preexisting intraocular pressure. Journal of Cataract and Refractive Surgery 2009;35(11):2033-2034.

and

Sporl E, Terai N, Haustein M, et al. Biomechanical condition of the cornea as a new indicator for pathological and structural changes. Ophthalmologie 2009;106(6):512-520. and

Vural E, Acar BT, Sevim MS. Corneal biomechanical properties in patients with recurrent anterior üveitis. Oculer immunology and inflammation 2012; 20(5) :349-53 and

Huang C, Zhang M, Huang Y. Corneal hysteresis is correlated with reduction in axial length after trabeculectomy Current eye research 2012;37(5) 381-7

and

Kandarakis A, Soumplis V, Karampelas M. Response of corneal hysteresis and central corneal

thickness following clear corneal cataract surgery. *Acta ophthalmologica* 2011;90(6) :526-9

and

Vasavada AR, Johar KS, Praveen MR. Histomorphological and immunofluorescence evaluation of clear corneal incisions after microcoaxial phacoemulsification with 2.2 mm and 1.8 mm systems *Journal of cataract and refractive surgery* 2012;39(4):617-623

and

Seymenoğlu G, Uzun Ö, Baser E. Surgically Induced Changes in Corneal Viscoelastic Properties After 23-Gauge Pars Plana Vitrectomy Using Ocular Response Analyzer *Current eye research* 2012;38(1):35-40

and

Terai N, Raikup F, Haustein M. Identification of Biomechanical Properties of the Cornea: The Ocular Response Analyzer *Current eye research* 2012;37(7):553-562

and

Freitas BV, Marcelo P, Silva RS. Central Corneal Thickness and Biomechanical Changes After Clear Corneal Phacoemulsification *Journal of refractive surgery* 2012;28(3):215-219

and

Görgün E, Küçümen RB, Yenerel M. Influence of intrastromal corneal ring segment implantation on corneal biomechanical parameters in keratoconic eyes *Japanese journal of ophthalmology* 2011;55(5):467-471

and

Huang Y, Zhang M, Huang C. Determinants of Postoperative Corneal Edema and Impact on Goldmann Intraocular Pressure Cornea 2011;30(9):962-967

and

Yenerel M, Görgün E, Küçümen RB. Corneal Biomechanical Properties of Patients With Pseudoexfoliation Syndrome Cornea 2011;30(9):983-986

and

Detry-Morel M, Jamart J, Pouriavan S. Evaluation of corneal biomechanical properties with the Reichert Ocular Response Analyzer European journal of ophtalmology 2011; 21(2):138-148

and

Kamiya K, Shimizu K, Ohmoto F. Evaluation of corneal biomechanical parameters after simultaneous phacoemulsification with intraocular lens implantation and limbal relaxing incisions Journal of cataract and refractive surgery. 2011;37(2):265-270

and

Valbon B, Silva RS, Jardim D. Assessment of intraocular pressure through the ocular response analyzer before and after phacoemulsification surgery Revista Brasileira De Oftalmologia 2011;70(1):11-15

and

Yenerel M, Küçümen RB, Görgün E. Changes in Corneal Biomechanics in Patients With Keratoconus After Penetrating Keratoplasty Cornea 2010;29(11):1247-1251

and

Kamiya K, Shimizu K, Ohmoto F. Time Course of Corneal Biomechanical Parameters After Phacoemulsification With Intraocular Lens Implantation *Cornea* 2010;29(11):1256-1260

and

Shin JY, Choi JS, Oh JY, Kim MK. Evaluation of corneal biomechanical properties following penetrating keratoplasty using the ocular response analyzer. *Korean J Ophthalmol* 2010 Jun;24(3):139-42

and

Song X, Langenbucher A, Gatzioufas Z, Setz B. Effect of biometric characteristics on the change of biomechanical properties of the human cornea due to cataract surgery. *Biomed Res Int* 2014;2014:628019

and

Zhang Z, Yu H, Dong H, Wang L. Corneal biomechanical properties changes after coaxial 2.2mm microincision and standart 3.0 mm phacoemulsification. *Int J Ophtalmol* 2016 Feb 18;9(2):230-4

and

Zare MA, MehrjardiHZ, Afarideh M. Visual keratometric and corneal biomechanical changes after Intacs SK implantation for moderate to severe keratoconus. *J Ophtalmic Vis Res* 2016 Jan-Mar;11(1):17-25

and

Song XF, Langenbucher A, Gatzioufas Z. Effect of biometric characteristics on biomechanical properties of the cornea in cataract patients. *Int Ophthalmol* 2016 Jun 18;9(6):854-7

and

Diez-Alveres L, Munoz Regrete FJ, Casas-Llera P. Relationship between Corneal Biomechanical Properties and Optic Nerve Head Changes after Deep Sclerectomy. European journal of ophthalmology 2017; 27(5)

Cited work:

R.B. Kucumen, N.M. Yenerel, E. Gorgun, D.N. Kulacoglu, B. Oncel, M.C. Kohen, L. Alimgil. Evaluation of corneal biomechanical properties and intraocular pressure changes after phacoemulsification and intraocular lens implantation. Journal of Cataract and Refractive Surgery 2008;34(12):2096-8.

G3.

Antoniazzi A, Pezzotta S, Delfino A, et al. Anterior chamber measurements taken with Pentacam: an objective tool in laser iridotomy. European Journal of Ophthalmology 2010;20(3):517-522.

and

Lam AKC, Tse JSH, Pentacam anterior chamber parameters in young and middle aged Chinese, Clinical and experimental optometry 2013;96(1):85-91

and

Robert MC, Harasymowycz P. Intraocular lens position following in the bag of single piece versus three –piece acrylic intraocular lenses, Ophthalmic surgery lasers and imaging 2012;43(6):472-478

and

Furuya t, Mabushi F, Chiba T, Comparison of the anterior ocular segment measurements using swept-source optical coherent tomography and a scanning peripheral anterior chamber depth analyzer Japanese journal of ophthalmology 2011 ;55(5): 472-479

and

Demirci H, Steen DW. Limitations in imaging common conjunctival and corneal pathologies with fourier-domain optical coherence tomography. Middle East Afr J Ophtalmol 2014 Jul-Sep:21(3):220-4

Cited work:

U.A. Dinc, B. Oncel, E. Gorgun, L. Alimgil. Quantitative assessment of anterior chamber volume using slit-lamp OCT and Pentacam. European Journal of Ophthalmology 2009;19(3):411-415.

G4.

Wasielica-Poslednik J, Berisha F, Aliyeva S, et al. Reproducibility of ocular response analyzer measurements and their correlation with central corneal thickness. Graefes Archive for Clinical and experimental Ophthalmology 2010;248(11):1617-1622.

and

Morita T, Shoji N, Kamiya K, et al. Intraocular pressure measured by dynamic contour tonometer and ocular response analyzer in normal tension glaucoma. Graefes Archive for Clinical and Experimental Ophthalmology 2010;248(4):609-610.

and

Mansouri K, Liu HK, Weinreb RN Analysis of continuous 24-h intraocular pressure patterns in glaucoma. *Investigative ophthalmology and visual science* 2012;53(13):8050-6

and

Terai N, Raiskup F, Hausten M. Identification of biomechanical properties of the cornea the ocular response analyzer *Current eye research* 2012;37(7):553-62

and

William L, Pye DC. Associations between diurnal changes in Goldmann tonometry, corneal geometry, and ocular response analyzer *Cornea* 2012;31(6):639-44

and

Luger MH, Ewering T, Arba-Mosquera S. Analysis of seasonal changes in residual refraction 1-year after corneal laser refractive surgery. *J Optom* 2014 Jul-Sep;7(3):138-46

and

Song YK, Lee CK, Kim J, Hong S. Instability of 24 hour intraocular pressure fluctuations in healthy young subjects: a prospective cross-sectional study. *BMC Ophthalmol* 2014 Nov 4;14:127

and

Keel S, Malesic L, Chang SP. Diurnal variation in central corneal thickness and intraocular pressure in eyes with pseudoexfoliation syndrome without glaucoma. Indian J Ophthalmol 2014 Nov;62(11):1072-1076

Cited work:

B. Oncel, U.A Dinc, E. Gorgun, B.I. Yalvaç. Diurnal variation of corneal biomechanics and intraocular pressure in normal subjects. European Journal of Ophthalmology 2009;19(5):798-803.

G5.

Yamamoto LG, Young DA. Tonometry methods in the pediatric emergency department. Pediatric emergency Care 2010;26(9):678-683.

and

Terai N, Raiskup F, Hausten M. Identification of biomechanical properties of the cornea the ocular response analyzer Current eye research 2012;37(7):553-62

and

Spoerl E, Terai n, Schloz F. Detection of biomechanical changes after corneal cross-linking using ocular response analyzer software Journal of refractive surgery 2011;27(6):452-7

and

Chia Jen C, Hsien H, Chin-An C. The influence of orthokeratology on intraocular pressure

measurements. *Seminars in ophthalmology* 2013;28(4):210-15

and

Burr JM, Pinzon B, Takwoingi Y. Surveillance for ocular hypertension an evidence synthesis and economic evaluation. *Health technology assesment* 2012;16(29):1

and

Lau W, Pye D, A Clinical description of ocular response analyzer measurements .*Investigative ophthalmology and visual science* 2011;52(6):2911-16

and

Ang GS, Nicholas S, Wells Ap, Poor utility of intraocular pressure correction formulae in individual glaucoma and glaucoma suspect patients. *Clinical and experimental ophthalmology* 2011;39(2): 111-118

and

Jorge J, Gonzales M, Jose M, A Comparison of the NCT Reichert R7 with Goldmann applanation tonometry and the Reichert ocular response analyzer *Ophthalmol and physiological optics* 2011;31(2):174-79

and

Rimayanti U, Kiuchi Y, Uemura S, Takenaka J. Ocular surface displacement with and without

contact lenses during non-contact tonometry. PLoS One 2014 Apr 29;

Cited work:

B. Oncel, U.A. Dinc, F. Orge, B.I. Yalvac. Comparison of IOP measurement by ocular response analyzer, dynamic contour, goldmann applanation and noncontact tonometry. European Journal of Ophthalmology 2009;19(6):936-941.

G6

Gökhale M, Stahl U, Jalbert I. In situ osmometry validation and effect of sample collection technique. Optometry and vision science 2013;90(4):359-365

and

Montani G, Intrасubject tear osmolarity changes with two different types of eyedrops. Optometry and vision science 2013;90(4):372-377

and

Versura P, Campos EC, TearLab.Osmolarity system for diagnosing dry eye, Expert review of molecular diagnosis 2013;13(2):119-129

and

Bunya VY, Fuerst NM, Pistilli M, McCabe BE. Variability of tear osmolarity in patients with dry eye. JAMA Ophthalmol 2015 Jun;133(6):662-7

and

Philipp B. Baenninger, Susanne Voegeli, Lucas M. Bachmann, Livia Faes, Katja Iselin, Claude Kaufmann, Michael A. Thiel. Variability of Tear Osmolarity Measurements With a Point-of-Care System in Healthy Subjects—Systematic Review Cornea 2018;0:1

and

Sebbag L, Park SA, Kass PH. Assessment of tear film osmolarity using the TearLab™ osmometer in normal dogs and dogs with keratoconjunctivitis sicca. *Veterinary Ophthalmology* 2017;20(4):357-364

and

Ulviye Yiğit, Yusuf Evcimen, Furkan Kırık, Ahmet Ağachane. Kuru Göz Hastalarında Gözyaşı Osmolarite Ölçümünün Gün İçi Değişiklikleri. *Türk Oftalmoloji Gazetesi* 2013;43(6):437-441

Cited work:

Öncel BA, Pınarcı E, Akova YA. Diurnal variation of the tear osmolarity in normal subjects measured by a new microchip system. *European Journal Ophthalmology* 2012;22 Suppl 7:S1-4

G7

Brautaset R,L, Nilsson MM, William L. Central and peripheral corneal thinning in keratokonus. *Cornea* 2013;32(3):257-261

and

Nassiri N, Sheibani K, Safi S, Nassiri S. Central corneal thickness in highly myopic eyes: .Interdevice agreement of ultrasonic pachymetry ,pentacam and orbscan II before and after photorefractive keratectomy.*J Ophthalmol Vis Res* .2014 Jan;9(1):14-21

and

and

Gonul S, Köktekir BE, Bakbak B. Comparison of central corneal thickness measurements using optical low-coherence reflectometry, Fourier domain optical coherence tomography and

Scheimpflug camera Arq Bras Ophthalmol 2014 Nov-Dec

and

Rozenna JJ, Wouters K, Mathysen D. Overview of the repeatability ,reproducibility and agreement of the biometry values provided by various ophthalmic devices.Am J Ophthalmol 2014 Dec;158(6) :1111-1120

and

Viswanathan D, Kumar NL, Males JJ. Comparative analysis of corneal measurements obtained from a Scheimplug camera and an integrated Placido -optical coherence tomography device in normal and keratokonic eyes. Acta Ophtalmol 2015 Sep;93(6):e488-94

and

Masoud M, L,vny E, Bahar I. Repeatability and Intrasession reproducibility obtained by the Sirius anterior analysis system. Eye contact lens 2015 Mar;41(2):107-10

Cited work:

Görgün E, Yenerel M, Dinç UA, Öncel B, Küçümen RB, Oral D, Çiftçi F. Comparison of noncontact methods for the measurement of central corneal thickness. Ophthalmic Surg Imaging 2011; 42(5):400-4007

G8

Rodrigues AJ, Takimura CK, Lemos N, Optical coherence tomography in conjunction with bronchoscopy Jornal Brasileiro de Pneumologia 2012,38(2):174-180

and

Klingenstein A, Kernt M, Seidensticker F, Kampik A. Anterior segment morphology and corneal biomechanical characteristics in pigmentary glaucoma. Clin Ophthalmol 2014;8:119-26

and

Birner B, Tourtas T, Wessel JM. Pigment dispersion syndrome and pigmentary glaucoma.Der ophthalmolge 2014;111(7):638-43

and

Klingenstein A, Kernt M, Seidemsticker F. Anterior segment morphology and corneal biomechanical characteristics in pigmentary glaucoma. Clin Ophthalmol 2014;8:119-26

Cited work

U.A. Dinc, D.N. Kulacoglu, B. Oncel, I.S. Yalvac. Quantitative assessment of anterior chamber parameters in pigmentary glaucoma using slit-lamp optical coherence tomography. European Journal of Ophthalmology 2010;20(4):702-707.

G9

Rossi GCM, Scudeller L, Delfino A. Pentacam sensitivity and specificity in detecting occludable angles European journal of ophthalmology 2012;22(5):701-708

and

Bedei A, Appolloni I, Madesani A. Repeatability and agreement of 2 Scheimpflug analyzers in measuring the central corneal thickness and anterior chamber angle, volume, and depth European journal of ophthalmology 2012;22 supp7 s29-32

and

Kiraly L, Duncker G. Biometry of the anterior eye segment for implantation of phakic anterior chamber lenses Ophthalmologie 2012;109(3):242-249

and

Fernandez-Vigo JI, Garcia-Fejioo J, Martinez-de-Casa JM. Fourier domain optical coherence tomography to assess the iridocorneal angle and correlation study in a large Caucasian population. BMC Ophthalmol 2016 Apr 18;16:42

and

Ahmed TY, Turnbull AM, Attridge NF, Biswas S, Lloyd IC. Anterior segment OCT imaging in mucopolysaccharidoses type I,II,VI. Eye(Lond) 2014 Mar;28(3):327-36

and

Al-Farhan HM, Almutairi RN. Anterior segment biometry using ultrasound biomicroscopy and the Artemis-2 very high frequency ultrasound scanner. Clin Ophthalmol 2013;7:141-7

Cited work

U.A. Dinc, B. Oncel, E. Gorgun, I.S. Yalvac. Assessment of anterior chamber angle using Visante-OCT, slit-lamp OCT and Pentacam. European Journal of Ophthalmology 2010;20(3):531-537.

G10

Gonzales M A, Villa-collor C, Lorente-Velazquez A. Anterior Segment Changes Produced in Response to Long-Term Overnight Orthokeratology Current eye research 2013;38(8):862-870

and

Ang M, Chong W, Huang H. Comparison of Anterior Segment Optical Tomography Parameters Measured Using a Semi-Automatic Software to Standard Clinical Instruments Plos one 2013;8(6):article number e65559

and

Engren A, Behndig A. Anterior chamber depth, intraocular lens position, and refractive outcomes after cataract surgery *Journal of cataract and refractive surgery* 2013;39(4):572-577

and

Nakakura S, Mori E, Nagatomi N. Comparison of anterior chamber depth measurements by 3-dimensional optical coherence tomography, partial coherence interferometry biometry, Scheimpflug rotating camera imaging, and ultrasound biomicroscopy *Journal of cataract and refractive surgery* 2012;38(7):1207-1213

and

Bedei A, Apolloni I, Madesani A. : Repeatability and agreement of 2 Scheimpflug analyzers in measuring the central corneal thickness and anterior chamber angle, volume, and depth *European Journal of ophthalmology* 2012;22 suppl 7:s29-32

and

Kiraly L, Duncker G. Biometry of the anterior eye segment for implantation of phakic anterior chamber lenses *Ophthalmologie* 2012;109(3):242-249

and

Dominguez-Vincent A, Perez-Vives C, Ferrer-Blasco T. Device interchangeability on anterior chamber depth and white to white measurements:a through literature review. *Int J Ophthalmol* 2016 Jul 18;9(7):1057-65

and

Huang J, Lu W, Savini G, Chen H. Comparison between a new optical biometry device and an anterior segment optical coherence tomographer for measuring central corneal thickness and anterior chamber depth. J Ophthalmol 2016;2016:6347236

and

Hwang HB, Lyu B, Yim HB, Lee NY. Endothelial cell loss after phacoemulsification according to different anterior chamber depths. J Ophthalmol 2015;2015:210716

and

Yazıcı AT, Pekel G, Bozkurt E, Yıldırım Y. Measurements of anterior segment parameters using three different non-contact optical devices in keratoconus patients. Int J Ophthalmol 2013Aug 18;6(4):521-5

and

Feng MT, Belin MW, Ambrosio R JR, Grewal SP Anterior chamber depth in normal subjects by rotating scheinpflug imaging. Saudi J Ophthalmol 2011 Jul;25(3):225-9

and

Al-Farhan HM, Almutairi RN. Anterior segment biometry using ultrasound biomicroscopy and the Artemis-2 very high frequency ultrasound scanner. Clin Ophthalmol 2013;7:141-7

and

Mashagni A, Hong J, Chauhan SK, Dana R. Ageing and ocular surface immunity. Br J

Ophthalmol. 2017;101(1):1-5

and

Dominguez-Vincent A, Monsalvez-Romin D, Aguila-Carrasco AJ, Garcia-Lazaro S, Montes-Mico R. Measurements of anterior chamber depth, white to white distance, anterior chamber angle, and pupil diameter using two Scheimpflug imaging devices. Arq Bras Oftalmol. 2014;77(4):233-7

Cited work

U.A. Dinc, E. Gorgun, B. Oncel, M.N. Yenerel, L. Alimgil. Assessment of anterior chamber depth using Visante optical coherence tomography, slitlamp optical coherence tomography, IOLMaster, Pentacam and Orbscan II. Ophthalmologica 2010;224(6):341-346.

G11

Bedei A, Apolloni I, Madresani A. : Repeatability and agreement of 2 Scheimpflug analyzers in measuring the central corneal thickness and anterior chamber angle, volume, and depth
European Journal of ophthalmology 2012;22 suppl 7:s29-32

and

Kiraly L, Duncker G. Biometry of the anterior eye segment for implantation of phakic anterior chamber lenses Ophthalmologie 2012;109(3):242-249

and

Gharaee H, Abrishami M, Shafiee M, Ehsaei A. White to white corneal diameter normal values in healthy Iranian population obtained with the Orbscan II. Int J Ophthalmol 2014 Apr 18;7(2):309-12

Cited work

Assessment and comparison of anterior chamber dimensions using various imaging techniques. Ophthalmic Surgery Lasers & Imaging 2010;41(1):115-122.

G12

Michalewski J, Michalewska Z, Nawrocki J. Spectral domain optical coherence tomography :morphology in optic disk associated maculopathy. Indian J Ophthalmol 2014;Jul 62 (7) 777-81

and

Abouammoh MA, Alsulaiman SM, Gupta VS. Pars plana vitrectomy with juxtapapillary laser photocoagulation versus vitrectomy without juxtapapillary laser photocoagulation for the treatment of optic disk pit maculopathy:The results of the KKESH International Collaborative Retina Study Group .British Journal Ophthalmol 2015;0:1-6

Atif Yapilan Calisma

Pınarcı EY, Karacal H, Öncel B, Bayar SA, Karakaya M. The inner diameter of the optic disc pit decreases with pars plana vitrectomy. Int Ophthalmol 2013 Apr 33 2 199 201

G13

Potvin R, Makari S, Rapuano CJ. Tear film osmolarity and dry eye disease: a review of the literature .Clin Ophthalmol 2015;Nov 2;9:2039-47

and

Zimmermann N, Erb C. Immunoassay for matrix metalloproteinase-9 in the Tear film of patients with pseudoexfoliation syndrome .Klinische Monatsblätter für Augenheilkunde 2013;230(8)

and

Bron AJ, Tomlinson A, Foulks GN. Rethinking dry eye disease: A perspective on clinical Implications. *The ocular surface* 2014;apr 12(2suppl) S1-31

and

Kırgız A, Akdemir MO, Kaldırım H. Evaluation of tear functions. DOI 105152imj 2014.88648

and

Yüksel N, Emre E, Pirhan D. Evaluation of corneal microstructure in pseudoexfoliation syndrome and glaucoma: In Vivo scanning laser confocal microscopic study. *Current eye research* 2014;41(1):1-7

and

Elgin U, Citirik M, Haksever H. Comparison of conjunctival impression cytology in primary open-angle glaucoma, ocular hypertension and normal subjects. *Int Eye Sci* 2015;15(5);745-749

and

Akdemir MO, Ayar O. The effect of pseudoexfoliation and pseudoexfoliation induced dry eye on central corneal thickness. *Current eye research* 2016;41(3):305-10

Cited work

Öncel B, Pınarcı E, Akova Y. Tear osmolality in unilateral pseudoexfoliation syndrome Clin

Exp Optom 2012 Sep ;95(5):506-9

G14

Psödoeksfoliatif sendromlu olgularda fakoemulsifikasyon cerrahisi öncesi ve sonrası keratometrik verilerin normal bireylerde karşılaştırılması Türkiye klinikleri J Ophthalmol 2012;21(1):12-6

Cited work

Psödoeksfoliyasyon sendromu Türkiye Klinikleri J Ophthalmol 2011;20(2):99-107

G15

Küçümen RB, Utine CA, Görgün E,. Kronik blefaritli olgularda gözyaşı osmolaritesinin değerlendirilmesi Turk J Ophthalmol 2015;45(1):5-8

Cited work

Katarakt cerrahisi sonrası gözyaşı osmolaritesi değişiklikleri. Turk J Ophthalmol 2012;42(1):35-7

G16

Kornea distrofilerinde konfokal mikroskopisi. Turk J Ophthalmol 2011;41(2):66-72

Cited work

Schnyderin kristalin kornea distrofisinde in vivo konfokal mikroskopisi bulguları. Turk J Ophthalmol 2009;39(1):48-51

